



RUBICON
ORGANIC
established 1997

Feather Meal
(14-0-0)



Approved for organic agriculture • Made in Canada





RUBICON **ORGANIC**

established 1997

For pricing and ordering please contact

Adrien Canan, president
acanan@rubiconorganic.com
250-514-7099



Two convenient shipping locations:

FOB Victoria, BC
FOB Mont St Hilaire, QC

Approved for organic agriculture • Made in Canada

Visit www.rubiconorganic.com for additional information



Overview

This fertilizer releases its nitrogen content over a period of weeks. Does not burn if applied as recommended. It increases lawn density and provides a darker color. It helps annuals and perennials to bloom earlier. Its use makes trees retain their leaves longer. When applied at the right time and dosage, vegetables increase their yield and quality. This product has been cooked at a temperature of 95°C (203°F) for 60 minutes.

Application Rates

Type: Granular or Meal

- **Lawns:** Early every month, 6 lb/1000 ft².
- **Vegetables and flower gardens:** Spread evenly early ring 1 to 2 lb/100 ft² and work into the soil to 5 inches deep. Side dress in late spring and in the summer.
- **Bulbs:** One teaspoon/bulb at the bottom of the planting hole.
- **Rose gardens:** At planting, use 0.25 lb per rose.
- **Trees:** 1 to 2 lb per tree planting hole. Water well. For established trees 1 lb per inch of trunk diameter. Apply in holes.
- **Field Application:** For granular type use a broadcast spreader at a rate of 1.1 to 2.3 kg per 10 square metres. For meal type use lime spreader at a rate of 1.1 to 2.3 kg per 10 square metres.

Precautions

Do not take internally. Avoid eye or skin contact. Do not breathe dust. Store in a cool, dry, well ventilated area. Keep out of reach of children.

Packaging

Granular type available in 750 kg totes.

Meal type available in 1,000 kg totes.

Analysis

Amino Acid Profile	Percent
Tryptophan	0.77
Cystine	3.90
Methionine	0.62
Acide Aspactic	6.13
Theonine	4.19
Serine	9.34
Glutamic Acid	9.96
Proline	7.27
Glycine	6.67
Valine	5.79
Isoleucine	3.83
Leucine	6.96
Tyrosine	2.80
Phenylalanine	3.97
Lysine Total	2.45
Histidine	0.89
Arginine	5.99
Alanine	3.82

	Percent
Protein	> 80.00
Moisture	8.0–10.00
Fat	8.00
Fibre	1.00
Protein Digestability	78.40
Ash	1.80
Nitrogen	13.69
Calcium	0.35
Phosphorus	0.25
Potassium	0.13
Sodium	0.12

The figures above are presented for illustrative purposes and represent, to the best of our knowledge, the typical composition of this product.